

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁶ : A61K 48/00	A1	(11) International Publication Number: WO 96/32138 (43) International Publication Date: 17 October 1996 (17.10.96)
(21) International Application Number: PCT/US96/04197 (22) International Filing Date: 20 March 1996 (20.03.96) (30) Priority Data: 08/421,232 13 April 1995 (13.04.95) US (71) Applicant: MILKHAUS LABORATORY [US/US]; Corner of Westfall & Larry Hill Road, R.D. 1, P.O. Box 127, Delanson, NY 12053 (US). (72) Inventor: MCMICHAEL, John; P.O. Box 127, Delanson, NY 12053 (US). (74) Agent: SHARP, Jeffrey, S.; Marshall, O'Toole, Gerstein, Murray & Borun, 6300 Sears Tower, 233 South Wacker Drive, Chicago, IL 60606-6402 (US).		(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: METHODS FOR TREATING RESPIRATORY DISEASE (57) Abstract Methods for treating respiratory disease, including cystic fibrosis, emphysema, bronchitis, and sinusitis are presented. Methods comprise administering to a patient an effective amount of DNA.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

- 1 -

METHODS FOR TREATING RESPIRATORY DISEASE**FIELD OF THE INVENTION**

The present invention relates to methods for treatment of pulmonary disorders.

5 BACKGROUND OF THE INVENTION

The present invention provides methods for treatment of pulmonary diseases. Such diseases, including cystic fibrosis, emphysema, chronic bronchitis, sinusitis, and the common cold, have in
10 common bronchial or sinus congestion, production of large amounts of sputum, and the possibility of secondary bacterial infection requiring antibiotic therapy. The most serious of those diseases is cystic fibrosis, a genetic disorder of exocrine
15 function characterized by abnormally viscous mucus secretions leading to chronic pulmonary obstruction, pancreatic insufficiency and elevated sweat sodium and chloride levels. Cystic fibrosis is often fatal. The viscosity of sputum produced by cystic
20 fibrosis patients is thought to be due to its high content of DNA. Diseases such as bronchitis, emphysema, sinusitis, and the common cold are generally less severe than cystic fibrosis, but those diseases also may result in production of
25 large amounts of sputum. As with cystic fibrosis, other pulmonary diseases frequently lead to secondary bacterial infections.

Treatment of pulmonary diseases generally requires antibiotic therapy which is frequently
30 ineffective. Recently, however, cystic fibrosis has been treated using DNase. The rationale for such therapy is that degrading DNA in sputum reduces the viscosity of the sputum and results in an increased

- 2 -

ability of the patient to evacuate sputum from the lungs and nasal passages. However, no known report advocates using DNA itself as a treatment for any pulmonary infection.

SUMMARY OF THE INVENTION

5 The present invention provides methods for treating respiratory illness. In a preferred embodiment, the invention provides methods for
10 reducing congestion in a patient having a respiratory illness. Methods of the invention result in reduced viscosity of mucus, increased productivity of respiratory congestion and reduced accumulation of mucus in the respiratory and nasal passages.

15 Methods of the invention comprise administration to a patient suffering from respiratory congestion an effective amount of DNA. The DNA is preferably provided in an amount ranging from about 0.00012 mg to about 0.003 mg and is
20 preferably formulated in a liquid vehicle and provided at a concentration of approximately 0.0006 mg as single drops. A preferred route of administration is sublingual, but other routes, such as intravenous, intramuscular, and intrathecal are
25 expected to work. DNA for use in the present invention may be prokaryotic DNA or eukaryotic DNA and may be formulated in a number of pharmaceutically-acceptable vehicles, including water, saline, albumin, and dextrose.

30 Additional aspects and advantages of the invention will become apparent upon consideration of the following detailed description thereof.

- 3 -

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides methods for treating patients with pulmonary disease by administering to such patients a small amount of
5 DNA.

Presently claimed methods are useful for treating pulmonary congestion in patients having any disease in which mucus production is a symptom. Methods of the invention are especially effective in
10 treating diseases wherein viscous mucus or sputum is produced and becomes lodged in a patient's respiratory tract. In those cases, methods of the invention reduce production of DNA in a patient's mucus secretions and thereby render mucus less
15 viscous, allowing for increased production away from the respiratory tract.

Methods according to the invention have been tested in clinical trials with human patients having various respiratory disorders, including
20 cystic fibrosis, bronchitis, and emphysema using calf thymus DNA (Sigma, St. Louis). In each case, patients are administered sublingual drops of DNA at a concentration of about 0.0006 mg DNA per drop. No other therapy was conducted in any patient during
25 the course of DNA therapy. As noted below, all patients tested showed improvement in mucus production (i.e. sputum was easier to dislodge) from the respiratory tract. In addition, sputum was less viscous as compared to pretreatment levels. Reduced
30 sputum viscosity leads to increased patient comfort, increased ability of the patient to breathe, and reduced risk of secondary bacterial infection. No adverse side effects were observed in any patients. Drops of DNA may be administered at the appropriate
35 concentration in doses of 1 to 10 drops per day as

- 4 -

required by the patient. For each Example below, calf thymus DNA (Sigma) was used.

The following Examples illustrate the preferred embodiments of the invention and provide evidence of the effectiveness of claimed treatment methods. Numerous improvements and further aspects of the invention are apparent to the skilled artisan upon consideration of the Examples which follow.

EXAMPLE I

Twenty-three year-old twin brothers presented with cystic fibrosis. Each had a history of hospitalizations for lung clearance and secondary infections diagnosed as being associated with their cystic fibrosis. Each patient began therapy with 1-2 drops (0.0006 mg/drop) of DNA sublingually per day in November, 1993. For almost two years since beginning DNA therapy, neither patient has been hospitalized. In addition, follow-up evaluations by physicians revealed a 30-45% increase in airflow in each patient. Moreover, forced vital capacity, a common measure of lung capacity and the extent of mucus clearance in the lungs, increased from 60-90%. Finally, each of the brothers has gained weight and has shown increased expectoration.

After approximately one year of therapy, one of the brothers stopped taking the DNA drops. His condition steadily worsened as a result, with increased mucus viscosity, decreased forced vital capacity and reduced expectoration. That patient then began taking drops of DNA at the prescribed dose and immediately improved to the condition he was in prior to the time at which he stopped taking the drops.

- 5 -

EXAMPLE II

A 64-year-old female patient who suffered from emphysema and bronchitis, as diagnosed by her physician, was placed on a dose of 1 drop per day
5 (0.0006 mg/drop) of DNA sublingually. Within one week, a follow-up evaluation revealed that her mucus production was less viscous and expectoration was increased.

EXAMPLE III

10 A 25-year-old female diagnosed with chronic upper respiratory illness was treated with methods according to the invention. Previous antibiotic therapy was unsuccessful in treating her condition. She began with 1 drop of DNA (0.0006
15 mg/drop) sublingually four times per day. Within one day, she experienced an increase in expectoration and, after three days she was able to discontinue treatment, having been completely
20 free. relieved of congestion. She has remained symptom

EXAMPLE IV

A 32-year-old female nurse presented with a severe upper respiratory infection and unproductive respiratory congestion. She was placed
25 on 1 drop of DNA (0.0006 mg/drop) four times per day. Her congestion began to break up almost immediately. Expectoration was improved and the patient's illness resolved after 4.5 days and no congestion recurred.

- 6 -

EXAMPLE V

A 63-year-old woman presented with chronic sinusitis. Four drops of DNA per day were administered. After 3 months, the patient's mucus
5 had thinned and her cough was more productive.

EXAMPLE VI

A 37-year-old female presented with unresolved respiratory congestion. Traditional therapy, including expectorants, failed to improve
10 her condition. The patient was then prescribed four drops of DNA (0.0006 mg/drop) per day. After one day of treatment, her congestion was more productive and sinus drainage had begun where none was present prior to treatment according to the invention.

EXAMPLE VII

15 A 40-year-old woman with unproductive upper respiratory congestion was placed on 4 drops of DNA (0.0006 mg/drop) per day. Her congestion was more productive after one day and she continued to
20 expectorate freely. In this case, therapy was supplemented with an over-the-counter expectorant.

EXAMPLE VIII

A 38-year-old woman with acute and chronic respiratory disease due to exposure to toxic
25 corrosive materials was treated with methods according to the invention. Prior to such treatment, symptoms, including chronic rhinorrhea, chest congestion and chronic respiratory infections were treated with numerous courses of antibiotics
30 without success. The patient began treatment with 0.5 cc Q.I.D. daily and was instructed to administer treatment up to 5-6 times daily if necessary.

- 7 -

Upon commencing treatment according to the invention, the patient was able to produce sputum almost immediately. Continued treatment has alleviated symptoms of chronic respiratory illness.

5

EXAMPLE IX

A 58-year-old woman diagnosed with a childhood history of asthma and persistent adult rhinitis and sinusitis presented for treatment. Physical examination indicated clear rhinorrhea, and
10 3+ red throat. Nasal spray and prednisone were prescribed for 7 days. That course of treatment resulted in mild improvement. However, the patient's cough was still unproductive. Therapy according to the invention was begun at 0.5 cc
15 Q.I.D. Within 48 hours, the patient showed improvement in the form of a productive cough and sinus drainage.

EXAMPLE X

A 48-year-old woman with chronic sinusitis
20 and bronchitis characterized by chronic head congestion, nasal obstruction, and coughing presented for treatment according to the invention. The patient was treated according to the invention with one drop per day of DNA (0.0006 mg/drop).
25 Treatment resulted in an overt increase in sinus and chest drainage. Upon cessation of treatment according to the invention, the patient's condition regressed. Beginning therapy again caused a similar increase in drainage and relief of congestion as
30 seen previously with treatment according to the invention.

- 8 -

The invention has been described in terms of its preferred embodiments and is only invented to be limited by the scope of the following claims.

- 9 -

CLAIMS

I claim:

1. A method for relieving respiratory congestion in a patient, comprising the steps of:
5 administering an effective amount of DNA in a pharmaceutically-acceptable vehicle to a patient having a disease characterized by respiratory congestion.
2. The method according to claim 1,
10 wherein said DNA is administered sublingually in the form of a liquid drop.
3. The method according to claim 1, wherein said disease is selected from the group consisting of cystic fibrosis, emphysema,
15 bronchitis, and sinusitis.
4. The method according to claim 1, wherein said vehicle is selected from the group consisting of water, saline, albumin, or dextrose.
5. The method according to claim 1,
20 wherein said effective amount of DNA is from about 0.00012 mg to about 0.003 mg DNA.
6. The method according to claim 1, wherein said effective amount of DNA is about 0.0006 mg of DNA.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US96/04197

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :A61K 48/00

US CL :Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 514/44

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, MEDLINE, BIOSIS, EMBASE, CAPLUS, WPIDS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Clinical Research, Volume 39, Number 02, issued 1991, CANONICO ET AL., "Expression of a CMV Promoter Driven Human Alpha-1 Antitrypsin Gene In Cultured Lung Endothelial Cells and In the Lungs of Rabbits", page 219A, see entire abstract.	1-6
Y	US, A, 5,240,846 (COLLINS ET AL.) 31 August 1993, see entire document.	1-6
Y	Science, Volume 252, issued 19 April 1991, ROSENFELD ET AL., "Adenovirus-Mediated Transfer of a Recombinant Apha-1-Antitrypsin Gene to the Lung Epithelium in Vivo", pages 431-434, see entire doument.	1-6

☒ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	*T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A document defining the general state of the art which is not considered to be part of particular relevance	*X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E earlier document published on or after the international filing date	*Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*G document member of the same patent family
*O document referring to an oral disclosure, use, exhibition or other means	
*P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

14 MAY 1996

Date of mailing of the international search report

31 MAY 1996

 Name and mailing address of the ISA/US
 Commissioner of Patents and Trademarks
 Box PCT
 Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

ANDREW MILNE

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/04197

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Current Biology Ltd., Volume 5, issued 1994, LEDLEY, "Non-viral Gene Therapy", pages 626-636, see entire document.	1-6
Y, P	Human Gene Therapy, Volume 6, issued September 1995, LEDLEY, "Nonviral Gene Therapy: The Promise of Genes as Pharmaceutical Products", pages 1129-1144, see entire document.	1-6

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US96/04197

A. CLASSIFICATION OF SUBJECT MATTER:
US CL :

514/44